





Compact 4-in-1 Monochrome Laser Printer

The feature rich MFC-L2730DW is designed for the busy home and small office, requiring multifunction capabilities.

This quiet, desktop friendly device, provides fast print speeds of up to 34ppm, 6.8cm colour touchscreen and built-in wired and wireless connectivity.

MFC-L2730DW



Key Features:

- Fast print speeds of up to 34 pages per minute
- Automatic 2-sided (duplex) print
- 250 sheet paper input
- 50 sheet Automatic Document Feeder
- Built in wired and wireless connectivity
- Up to 3,000 page option high-yield toner
- 6.8cm colour touchscreen
- 128MB memory



Business Performance

Duplicating, digitising and sharing documents has never been easier. The MFC-L2730DW, offers true network capabilities, with wired and wireless connectivity. Save time by printing-from and scanning-to popular cloud services directly from the 6.8cm touchscreen including Dropbox, Google Drive[™], Evernote, OneNote and more. The most frequently used functions, can be easily created as custom shortcuts on the touchscreen.

Maximum value for money

The MFC-L2730DW can print with an optional up to 3,000 page high-yield toner,, providing crisp black text every time. Together with a host of feature rich functionality, high-precision laser technology ensures that your print outs are professional and cost effective.

Quiet without compromise

Print quietly without comprising on speed or quality, operating at the lowest decibel in class (under 50dB). All the models throughout the range are designed to sit on your desk, printing quietly at full speed while you work without interruption.

Designed to go the distance

Built to perform for longer, the MFC-L2730DW has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, Brother's award winning** reliability allows you to deliver uncompromised performance at all times.



General	Technology Electrophotographic Laser Printer Laser Classification Class 1 Laser Product (IEC60825-1:2014)	Processor 600MHz Memory 128MB Wired Network Interface 10Base-T/100Base-TX	Wireless Network IEEE 802.11b/g/n Control Panel 6.8cm colour touchscreen Local Interface Hi-Speed USB 2.0 Shortcuts 12
Print	 Print Speed Standard (A4) Up to 34ppm (pages per minute) Print Speed 2-sided (duplex) (A4) Up to 16 sides per minute (8 sheets per minute) Resolution Up to 1,200 x 1,200 dpi Quiet Mode A mode to reduce the printing noise by reducing the print speed to 13ppm 	Automatic 2-sided (duplex) Printing Print on to both sides of the paper FPOT (First Print Out Time) Less than 8.5 seconds from ready mode Marm Up Time Less than 9 seconds from sleep mode Print Languages PCL6, BR-Script3 (PostScript®3™ Language Emulation), PDF version1.7	Embedded Fonts (PCL) 66 scalable fonts, 12 bitmap fonts, 16 barcodes Embedded Fonts (Post- script) 66 scalable fonts Embedded Barcodes (PCL) Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Printer Functions	N-up Printing ³ Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16) Poster Printing⁴ Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark Printing⁴ Watermark your documents with predefined text or with your own user-defined messages	 ID Printing⁴ Add identification to your printed documents (date & time, short custom message or PC username) Manual 2-sided (duplex) Print⁴ Manual 2-sided printing (recommended for media not supported by automatic 2-sided print) Booklet Printing⁴ Print documents in A5 booklet format using automatic or manual 2-sided print) 	 Print Profiles³ Store your favourite driver settings as profiles to easily recall them Print Text In Black⁴ Converts all text in your documents to black when printed Print Archive⁴ An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file
Printer Driver	Windows [®] Windows [®] 10 (32 & 64 bit editions) Windows [®] 8 (32 & 64 bit editions) Windows [®] 7 (32 & 64 bit editions) Windows [®] Server 2016 (32 & 64 bit editions)*	Macintosh ⁵ Mac OSX 10.10.5 or greater Linux ⁵ CUPS, LPD/LPRng (32 & 64 bit editions)	PostScript Universal Printer Driver Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript PCL Driver

Generic PCL XL driver

* Windows® Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19752. 2 Calculated with $80g/m^2$ paper.

3 Windows® & Mac® only.

4 Windows® only.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.
7 Requires Brother Software.

Windows® Server 2012, 2012R2 & 2008R2* Windows® Server 2008 (32 & 64 bit editions)*

8 Must be web connected.

All specifications correct at the time of All specifications conject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Standard Paper Handling

Paper Input² Standard Tray - 250 sheets Manual feed slot - 1 sheet

Automatic Document Feeder (ADF) – 50 Sheets Paper Output² Face Down - 120 sheets Face Up (Straight Paper Path) - 1 sheet

Media Specification

Media Types & Weights Standard Plain & recycled paper (between 60 - 163g/m²) Manual feed slot Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m²) 2-sided (duplex) Print Plain & recycled paper (between 60 - 105g/m²) **Envelope & Label Printing** Yes, from the Manual feel slot: support for 1 envelope / sheet

Media Sizes

Standard Tray A4, Letter, A5, A5 (Long Edge), A6, Executive Manual feed slot Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided (duplex) Print A4

Mobile / Web Based Printing & Scanning

Brother iPrint&Scan

(Android) Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

Brother iPrint&Scan (Windows® Phone) Print from and scan to a smart

phone running the Windows® Phone Operating System

Brother Print&Scan (Windows[®] 8,10 & RT)

Print from and scan to a Windows[®] 8,10 or Windows RT Tablet

CreativeCentre⁸ Download and print Brother CreativeCenter content

Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin

Print from Android devices without a dedicated App

Mopria

Print most common file types from Mopria supported Android devices

Web Connect⁸

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive[™] OneNote

Сору

Speed - (A4) Up to 34cpm

(copies per minute)

FCOT (First Copy Time Out) Less than 10 seconds from ready mode

Resolution Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 99 copies of each page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document sizes from 25% to 400% in 1% increments

N in 1 Copying Allows the user to compress

2 or 4 pages on to a single A4 sheet

2in1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Grey Scale 256 shades of grey (8 bit)

Receipt Copying Produces clearer copies of receipts

Enlarge Text Copy⁸

Makes reading copied documents easier if the size of the text on the original document is small

1 Approx declared yield value in accordance with ISO/IEC 19752.

- 2 Calculated with 80g/m² paper.
- 3 Windows® & Mac® only.
- 4 Windows[®] only.
- 5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

- 7 Requires Brother Software.
- 8 Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies. Scan

Scanner Type CIS (Contact Image Sensor)

Colour & Monochrome Scanning Yes

Scan Speed Monochrome 23.6ipm (images per minute)

Scan Speed Colour 7.5ipm (images per minute)

Scan Resolution from ADF Up to 600 x 600dpi

Scan Resolution from Scanner Glass Up to 1,200 x 1,200dpi Interpolated Scan Resolution Up to 19,200 x 19,200dpi

Colour Depth 16,777,216 colour variations (24 bit)

Grey Scale 256 shades of grey (8 bit)

Standard Functions⁸ Scan to E-mail, OCR, Image, File & FTP

Scan Features Remove Background, Skip Blank Page⁴, ID Scan⁴, 1 to 2 Scan⁴, Split PDF

Scan To Microsoft Office⁸

Scan to Microsoft® Word, Microsoft® Excel & Microsoft® PowerPoint

Scan to Searchable PDF Scan documents to searchable PDF files

Scan to SharePoint (Local infrastructure only) Scan documents directly into SharePoint

Windows[®] Web Services Scanning

Scan direct into Windows® (from Windows® 7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows® TWAIN & WIA Windows® 10 (32 & 64 bit editions) Windows® 8.1 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Macintosh⁵ TWAIN & AirPrint macOS 10.10.5 or greater

Linux⁵ SANE(32 & 64 bit editions)

Fleet Management Tools

Unattended Installer⁴ Ability to centrally deploy and customise our drivers and software **MSI Installer**⁴ Modular installers that can be distributed through Active Directory®

BRAdmin Light^{4&5} LAN/WAN management software Embedded Web Server

Web based print management software embedded onto the device

Driver Deployment Wizard⁴ Easily create print drivers for hassle free deployment over your network

Address Book

Speed Dials 200 locations for E-mail addresses and fax numbers **Group Dial** A combination of up to 20 groups can be stored for broadcasting

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Wired Network

Built in Ethernet 10Base-T/100Base-TX

Network Protocols TCP/IP (IPv4 and IPv6)

Wired Network Security SMTP-AUTH, SNMP v3,SSL/ TLS(SMTP,HTTP,IPP)

Wireless Network IEEE 802.11b/g/n (Infrastructure Mode /

Adhoc Mode)

Wireless Set-Up Support Wi-Fi Protected Setup (WPS)

Wireless Applications Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

Setting Lock

Secures access to the devices control panel by locking it

Supplies

Inbox Toner 700 pages¹

Standard Yield Toner 1,200 pages¹ (TN-2430)

High Yield Toner 3,000 pages¹ (TN-2450) Drum (DR-2424) Approx 12,000 pages

Carton Contents Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)

Without Carton (WxDxH)

580 x 517 x 434 mm -

14.7kg

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Dimensions and Weights

With Carton (WxDxH) 410 x 398.5 x 318.5 mm -11.8kg

Duty Cycles

Recommended Monthly Up to 2,000 pages monthly print volume

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies. **Power Consumption**

Printing - 440W (260W in quiet mode), Ready - 42W, Sleep - 6.2W, Deep sleep - 0.6W, Off - 0.03W

Sound Pressure Level

Printing 49dbA, Quiet mode printing 44dbA, Ready Up to30dbA

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Yes

Fax

Fax Modem

33,600bps (Super G3)

PC Fax Send^{9&3} Send faxes directly from your PC

PC Fax Receive984 Receive faxes directly to your PC

Automatic Redial Automatic redialling if the recipient fax is busy

Telephone Index An electronic, alphabetical listing of stored speed dials and group numbers

Chain Dialling

Allows the user to store parts for long dialling sequences in different speed dial locations

Speaker / Ring Volume 3 levels and off

Fax / Tel Switch Automatic recognition of fax and telephone reception

Super Fine

Enables quality transmission of very small print and line drawings

Contrast

Auto / light / dark

Enhanced Remote Activate

Transfer a fax call, answered on an extension phone, to the fax machine

Delayed Timer Up to 50

Quick-Scan Approximately 2.5 seconds per page A4 standard resolution

Memory Transmission

Up to 500 pages (ITU-T Test Chart, Standard Resolution,

Out of Paper Reception

Up to 500 pages (ITU-T Test Chart, Standard Resolution,

Dual Access

Send the same fax message to up to 250 separate locations (manual 50 locations)

Broadcasting

Receive usage reports on a regular basis via e-mail

Auto Reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

ECM

(Error Correction Mode) The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

Fax Forwarding

Sends a fax received in memory to another pre-programmed fax number

Remote Access

Allows users to remotely access their machine

Fax Retrieval

Allows remote access to faxes stored in the machine

Remote Maintenance

Allows users to maintain their MFC remotely

Remote Set-Up³

Allows users to set-up the MFC from their PC

Grey Scale

256 shades (8 bit) of grey are available for faxing

Fax Stamp

Add the date and time to all received faxes

Cover Page

Create custom cover pages for outgoing faxes

1 Approx declared vield value in accordance with ISO/IEC 19752.

- 2 Calculated with 80g/m² paper.
- 3 Windows® & Mac® only.
- 4 Windows® only.
- 5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

- 7 Requires Brother Software.
- 8 Must be web connected.

All specifications correct at the time of printing and are subject to change Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

