Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph.: +91-120-4197000-03 Fax: +91-120-4197004 Email: quality@luxorpen.com URL: www.luxorpen.com



Material Safety Data Sheet

Section I: Identification of Product & Company

Model : 100 Permanent Marker Bullet 1-2mm, 270 Permanent Marker Bullet 1-3mm

271 Permanent Marker Chisel 2-5mm, 810 Permanent Marker Chisel 5-14mm

Article No. : 9027499, 9027498, 1050867, 9027490, 9027491, 9027489,

1050862, 9027493, 9027492, 9027494, 1050865, 9027496,

9027497, 9027495, 1050866

Ink Colour : Black , Blue, Red, Green

Manufacturer's Name : LUXOR INTERNATIONAL P. LTD

(ISO 9001:2015, ISO 14001 & OHSAS 45001 Certified)

Emergency Tel. No. : +91-120-4197001 Telephone No. : +91-120-419700 2 / 3 Fax No. : +91-120-4607402

Address: : C-42, Phase II, Gautam Budh Nagar,

Uttar Pradesh-201305, India

Prepared by. : Sanjiv Kumar Saxena

Date : 03 May , 2022 Revision: 06

Section -II: Composition

Solvent Based ink

Plastic/ Metal component

Acrylic

Polyester Fiber with Extruded PP type of ink reservoir

Plastic cap

Other Characteristics: for marking on metal, wood, ceramics etc.

Section -III: Hazardous Ingredients / Identity Information

CAS NO.: N/A

This product is considered safe under normal uses conditions.

Section- IV: First Aid

1. Acute
 NO
 2. Chronic
 NO
 Signs and symptoms of overexposure
 N.A.
 Medical condition generally aggravated by exposure
 N.A.
 Emergency and first aid procedure
 N.A.

Section-V: Fire & Explosion Hazard Data

Approved By : Head QA	Issued By : Team QA	Issue No. 06
Date: 03 May 2022	Date: 03 May 2022	Revision 06
,	,	

Document No. MSD-2-01

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph.: +91-120-4197000-03 Fax: +91-120-4197004 Email: quality@luxorpen.com URL: www.luxorpen.com



Material Safety Data Sheet

Flash point method used : N.D.

Explosion limits (vol.%) : LEL: N.A. UEL: N.A.

Extinguishing media : Dry powders, water spray

Special Fire fighting Precautions : Soda Acid, Carbon Die Oxide, Foam type and mechanical dry

powder extinguisher

Auto ignition Temp. (C) : N.A.
List hazardous products decomposition : ND .
Other advice : None

Section-VI: Accidental Release Measures

Routes of entry	Emergency Procedure	Seek medical advice
Inhalation	N.A.	\checkmark
Eyes	N.A.	✓
Skin	N.A.	✓
Ingestion	N.A .	✓

Section-VII: Handling and Storage

Special precaution to be taken during handling : Store at room temperature.

Condition: Under normal room temp. (20-40°c)no humidity.

Other precaution : Pens to be stored horizontally if possible.

Incompatibility (materials to avoid) : N.A.
Hazardous : NO
Polymerization : NO

Section-VIII: Exposure Controls & Special Protection

Respiratory protection : Not necessary, good room ventilation is sufficient.

Ventilation : Local exhaust

Skin and Eye Protection : None Work / hygienic practices : None

Section -IX: Physical & Chemical Characteristics

 Boiling Point C
 :
 NA
 Density (g/ml)
 : NA

 Vapor density (Air = 1)
 :
 ND
 Melting Point C
 : NA

 Solubility of ink in water
 :
 ND
 Evaporation rate (butyl acetate=1)
 : N.D.

Approved By : Head QA	Issued By : Team QA	Issue No. 06
Date: 03 May 2022	Date: 03 May 2022	Revision 06
·	,	

Document No. MSD-2-01 Page 2 of 3

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph.: +91-120-4197000-03 Fax: +91-120-4197004 Email: quality@luxorpen.com URL: www.luxorpen.com



Material Safety Data Sheet

Pressurized : Yes[] No [x] % volatile : N.D.

Section – X Stability & Reactivity

Stability : Stable

Condition to Avoid : Keep Pen close when not in use

Hazardous Decomposition : N/A

Section – XI Toxicological Information / Health Hazards

Effect of Toxicological relevance are not to be expected in the intended use.

Section – XII Ecological Composition

N/A

Section - XIII Disposal Considerations

Waste disposal methods : Dispose in accordance with federal, state & Local Regulation.

Section - XIV Transport Information

Not classified as dangerous group

UN Number : Not Applicable

UN proper shipping name : Not Applicable

Transport hazard class(es) : ICAO/IATA Class, ICAO/IATA Subrisk, ERG CODE : Not Applicable

Section – XV Regulatory Information

This product is a consumer product, no special regulatory information is required.

Section – XVI Other Information's

Note: The information given in this MSDS is based on our present state of knowledge and is no assurance of properties of our products. Existing laws and regulations have to be obeyed by the purchaser himself. The product shall not be used for purposes other than it is assigned for without the consent of the producer.

The information provided above is for general guidance only without responsibility, liability & warranty on our part & subject to change without notice.

N.A. : Not Applicable


N.O. : Not Observed

LEL : Lower Evaporation Limit

Approved By : Head QA	Issued By : Team QA	Issue No. 06
Date: 03 May 2022	Date: 03 May 2022	Revision 06
,	,	

Document No. MSD-2-01





Ph.: +91-120-4197000-03 Fax: +91-120-4197004 Email: <u>quality@luxorpen.com</u> URL: www.luxorpen.com



ALUXU'T

UEL : Upper Evaporation Limit

N.D. : Not Determined

Approved By : Head QA	Issued By : Team QA	Issue No. 06	
Date: 03 May 2022	Date: 03 May 2022	Revision 06	

Document No. MSD-2-01 Page 4 of 3