



Supplier: Pilot Pen Australia Pty Ltd
Product: FRIXION Fineliner (SW-FF; SFFL)
Page 1 of 10
Date of Issue: March 2021

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

SUPPLIER: Pilot Pen Australia Pty Ltd.
ABN: 37 144 701 502.
OFFICE ADDRESS: 39 Enterprise Circuit, Prestons, NSW 2170, Australia.
POSTAL ADDRESS: Locked Bag 7010, Liverpool, NSW 1871, Australia.
TELEPHONE: 1300 325 866.
AH EMERGENCY TELEPHONE: 13 1126 (24 Hours) – Australian National Poisons Centre.
WEB PAGE: www.pilotpen.com.au.

Product Name: FRIXION Fineliner.
Product Range: Product range of:
SW-FF-B/R/L/G/LG/LB/P/BP/O/Y/V/BN.
SFFL-12F-B/R/L/G/LG/LB/P/BP/O/Y/V/BN.
SFFL-72F-6C.
SFFL-144F-12C.

Proper Shipping Name: Not applicable.
Product Use: Ink for writing instrument.
Manufacturer's Product Codes: Colours:

- B = Black.
- BN = Brown.
- BP = Baby Pink
- G = Green.
- L = Blue.
- LB = Light Blue.
- LG = Light Green
- O = Orange.
- P = Pink.
- R = Red.
- V = Violet.
- Y = Yellow

Creation Date: 23 March 2021.
Revision Date: Before 22 March 2026.

SECTION 2 – HAZARDS IDENTIFICATION

This product is classified as a **HAZARDOUS CHEMICAL** in accordance with the WHS and as **HAZARDOUS** in accordance with the GHS, and as **NON-DANGEROUS GOODS** according to the ADG Code.

CLASSIFICATION:	
Hazardous Classes & Categories:	Hazard Classes Hazard Category
Physical:	Not applicable.
Health:	Serious Eye Damage/Irritation. 1.
Environmental:	Not applicable.
LABEL ELEMENTS:	
Signal Word:	DANGER.
Hazard Statements:	Causes serious eye damage.

SAFETY DATA SHEET

SECTION 2 – HAZARDS IDENTIFICATION (CONTINUED)

Precautionary Statements:

Prevention: Wear eye protection/face protection.
Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.
Storage: Not applicable.
Disposal: Not applicable.
General: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Pictogram:



Pictogram Description: Corrosion
Other Hazards which do not result in Classification: Not applicable.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Sodium metatungstate	12141-67-2	< 10 % w/w
Non-hazardous ingredients	Not available	To 100 % w/w
Total		100 % w/w

SECTION 4 – FIRST AID MEASURES

Scheduled Poisons: Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 13 1126) or a doctor (at once).

First Aid Facilities Required: Eye wash fountains and a general washing facility should be easily accessible in the immediate work area.

Inhalation: Remove victim from exposure and to ventilated air - avoid becoming a casualty. Seek medical advice if necessary.

Skin Contact: If skin contact occurs, wash skin with soap and water. Seek medical attention if irritation develops or persists.

Eye Contact: Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek medical attention if irritation develops or persists.

Ingestion (Swallowed): Do not give anything by mouth to an unconscious person. Seek medical attention if symptoms develop.

Protection of First-aiders: No special precautions are envisaged to be required.

Advice to Doctor: Treat symptomatically. Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons.

SAFETY DATA SHEET

SECTION 5 – FIRE FIGHTING MEASURES

Hazards from Combustion Products:	If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to In general fire, upon combustion, this product may emit Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NO _x), Sulfur oxides (SO _x), and other possibly toxic gases and vapours.
Suitable Extinguishing Media:	Extinguish with water spray or normal foam. Use Carbon dioxide (CO ₂) or dry agent for small fires.
Unsuitable Extinguishing Media:	Not applicable.
Precautions for Fire Fighting:	Wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Minimise exposure. Do not breathe fumes. Contain run-off, prevent by any means available spillage from entering drains and water course.
Hazchem Code:	Not applicable.
AERGB:	Not applicable.
Flash Point:	Boils without flashing.
Flammability:	Not classified as combustible liquid. In general fire, upon combustion, this product may emit hazardous substances including but not limited to Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NO _x), Sulfur oxides (SO _x), and other possibly toxic gases and vapours.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills:	
Personal Precautions, Protective Equipment and Emergency Procedures:	<p>In case of spill, isolate hazard area and deny entry. Product may represent a slip hazard. Wear protective clothing as described in Section 8 of this safety data sheet. Eye contact should be prevented by means of suitable personal protection equipment. See Section 8, Exposure Controls and Personal Protection for further information regarding personal protection. See Section 4, First Aid Measures, for further information.</p> <p><u>Eye and face protection:</u> The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended. If exposed to dust or fume, wear dust-tight goggles (meeting the requirements of AS/NZS 1337).</p> <p><u>Skin protection:</u></p> <p><u>Hand protection:</u> Chemical resistant gloves should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be removed and replaced immediately if there is any indication of degradation. Rinse and remove gloves immediately after use. Wash hands with soap and water. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.</p> <p><u>Clothing:</u> Suitable protective clothing complying with AS/NZS 4501 and suitable chemical resistant footwear complying with AS/NZS 2210 are recommended.</p>

SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES (CONTINUED)

Environmental Precautions:	<p><u>Respiratory protective equipment:</u> No special precautions are envisaged to be required. However, if the product is spilled in case of inadequate ventilation or if exposure standards are exceeded then use a full face air purifying respirator (with Class A filter for organic vapours boiling above 65°C) meeting the requirements of AS/NZS 1715 and AS/NZS 1716.</p> <p>Do not allow to enter drainage system, surface or ground water. In the event of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste Management Authority.</p>
Methods & Materials for Containment & Cleaning up:	
Small Spills:	Absorb spill with material (cloth or paper), then place in chemical waste containers. The wasted material can be disposed of by incineration (preferably high temperature) by an approved agent according to State, Territory and/or Local government regulations.
Large Spills:	Absorb spill with material (cloth or paper), then place in chemical waste containers. The wasted material can be disposed of by incineration (preferably high temperature) by an approved agent according to State, Territory and/or Local government regulations.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling:	For personal protection see section 8. Recommend washing hands after use. Avoid spills. No special precautions are envisaged to be required.
Information about Fire and Explosion Protection:	Refer to State Regulations for storage and transport requirements.
Conditions for Safe Storage, including any Incompatibilities:	Store in a cool (at temperatures below 25°C), dry, well-ventilated place and out of direct sunlight. Keep containers closed when not in use - check regularly for leaks.
Further Information about Storage Conditions:	Not applicable.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Control Measures:	Ensure the use of individual protection measures Including Personal Protective Equipment (PPE).
Exposure Standards:	National Occupational Exposure Limits, as published by Safework Australia: Time-weighted Average (TWA): None established for product. Short Term Exposure Limit (STEL): None established for product.
Biological Monitoring:	Safe Work Australia have not published any Biological Limits for ingredients of this product.
Engineering Controls:	Not required in normal use.
Individual Protection Measures Including Personal Protective Equipment (PPE):	<p><u>General protective & hygiene measures:</u> Not required in normal use.</p> <p><u>Eye and face protection:</u> The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended. If exposed to dust or fume, wear dust-tight goggles (meeting the requirements of AS/NZS 1337).</p>

SAFETY DATA SHEET

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Skin protection:

Hand protection: Chemical resistant gloves should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be removed and replaced immediately if there is any indication of degradation. Rinse and remove gloves immediately after use. Wash hands with soap and water. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

Clothing: Suitable protective clothing complying with AS/NZS 4501 and suitable chemical resistant footwear complying with AS/NZS 2210 are recommended.

Respiratory protective equipment: No special precautions are envisaged to be required. No adverse respiratory exposure anticipated under normal use. However, if the product is spilled in case of inadequate ventilation or if exposure standards are exceeded then use a full face air purifying respirator (with Class A filter for organic vapours boiling above 65°C) meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Description/ Properties:

Appearance:	Coloured low viscosity liquid (Black, Baby Pink, Blue, Brown, Green, Light Blue, Light Green, Orange, Pink, Red, Violet, Yellow).
Odour:	Slight characteristic odour.
Odour Threshold:	Not applicable.
pH:	5.0 - 6.5.
Melting Point/ Freezing Point:	Not available.
Initial Boiling Point/ Boiling Range:	Ca. 100°C.
Flashpoint:	Boils without flashing.
Evaporation Rate:	Not applicable.
Flammability (solid, gas):	Not available.
Upper/Lower Flammability or Explosive Limits:	Not available.
Vapour Pressure:	Not available.
Vapour Density:	Not available.
Relative Density:	1.13 – 1.15 @ 20°C.
Solubility:	Soluble in water.
Partition coefficient: n-octanol/water:	Not applicable.
Auto-ignition Temperature:	Not applicable.
Decomposition Temperature:	Not applicable.
Viscosity:	7.0 – 11.0 mPa · s @ 20°C..

SAFETY DATA SHEET

SECTION 10 – STABILITY AND REACTIVITY

Reactivity:	No reactivity hazards are known for the material.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	No known hazardous reactions.
Conditions to Avoid:	Not applicable.
Incompatible Materials:	Not applicable.
Hazardous Decomposition Products:	None anticipated under normal or recommended handling, storage, and use conditions. If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NO _x), Sulfur oxides (SO _x), and other possibly toxic gases and vapours.

SECTION 11 – TOXICOLOGICAL INFORMATION

Health Effects:	No data for product, following data is compiled on basis of ingredients.
Acute Toxicity Data (Oral):	No data for product.
Acute Toxicity Data (Dermal):	No data for product.
Acute Toxicity Data (Inhalation):	No data for product.
Chronic Toxicity Data:	No data for product.
Skin Corrosion Irritation:	No data for product.
Serious Eye Damage/Irritation:	Product is classified as Serious Eye Damage/Irritation, Hazard Category 1; Causes serious eye damage.
Respiratory or Skin Sensitisation:	No data for product.
Germ Cell Mutagenicity:	No data for product.
Carcinogenicity:	No data for product.
Reproductive Toxicity:	No data for product.
Specific Target Organ Toxicity (STOT) – Single Exposure:	No data for product.
Specific Target Organ Toxicity (STOT) – Repeated Exposure:	No data for product.
Aspiration Hazard:	No data for product.
Information on Possible Routes of Exposure:	Inhalation is the primary route of exposure although absorption may occur through skin contact or following accidental ingestion.
Ingestion (Swallowing):	Not to be ingested. Ingestion of product may be harmful and cause upset stomach.
Eye Contact:	Ink contact with eye may cause serious eye damage.
Skin Contact:	Ink contact with skin may cause irritation, swelling, or redness. It is not expected to cause an allergic skin reaction.
Inhalation:	Intentional exposure to ink vapours is not expected to cause respiratory irritation.
Other Health Effects:	Not applicable.

SAFETY DATA SHEET

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity:	This product is not classified as Hazardous to the aquatic environment (according to GHS).
Fish Toxicity:	No data for product.
Invertebrates Toxicity:	No data for product.
Algae Toxicity:	No data for product.
Toxicity to Microorganisms:	No data for product.
Persistence & Degradability:	No data for product.
Bio-accumulative potential:	There is no evidence to suggest bioaccumulation will occur.
Mobility in Soil:	No data for product. Accidental spillage may lead to penetration in the soil and groundwater. However, there is no evidence that this would cause significant adverse ecological effects. Product is soluble in water.
Other Adverse Effects:	No data for product.
General:	DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Product is soluble in water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Inform local authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods:	
Product:	This product, as supplied, is classified as a Workplace Hazardous Chemical, based upon knowledge of its ingredients. When all ink has been consumed in writing instrument the writing instrument may be disposed of as normal household waste. However, in bulk form, waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority, according to State, Territory and/or Local government regulations, pertinent authorities and adhering to the necessary technical regulations. Do not allow runoff to sewer, waterway or ground. Incinerate with adequate scrubbing and ash disposal
Individual Protection Measures:	Refer to Individual Protection Measures Including Personal Protective Equipment (PPE) in Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION.
Uncleaned Packaging:	Recommended to be disposed of in accordance with relevant Commonwealth, state, territory and local government legislation.
Behaviour in Sewage Processing Plants:	No data for product.

SECTION 14 – TRANSPORT INFORMATION

Road & Rail Transport:	This material is not classified as DANGEROUS GOODS, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).
UN Number:	Not applicable.
UN Proper Shipping Name or Technical Name:	Not applicable.
ADG Class:	Not applicable.
Packing Group:	Not applicable.
HAZCHEM Code:	Not applicable.
AERGB:	Not applicable.



Supplier: Pilot Pen Australia Pty Ltd
Product: FRIXION Fineliner (SW-FF; SFFL)
Page 8 of 10
Date of Issue: March 2021

SAFETY DATA SHEET

SECTION 14 – TRANSPORT INFORMATION (CONTINUED)

Marine Transport:	This material is not classified as DANGEROUS GOODS and is not classified as a MARINE POLLUTANT by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
UN Number:	Not applicable.
UN Proper Shipping Name or Technical Name:	Not applicable.
IMDG Class:	Not applicable.
Packing Group:	Not applicable.
Air Transport:	This material is not classified as DANGEROUS GOODS, by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN Number:	Not applicable.
UN Proper Shipping Name or Technical Name:	Not applicable.
IATA Class:	Not applicable.
Packing Group:	Not applicable.
Class Label:	Not applicable.

SECTION 15 – REGULATORY INFORMATION

Australian Standards:	AS/NZS 1337.1:2010: Personal eye protection - Eye and face protectors for occupational applications. AS/NZS 1715:2009: Selection, use and maintenance of respiratory protective equipment. AS/NZS 1716:2012: Respiratory protective devices. AS 1940:2017: The storage and handling of flammable and combustible liquids. AS/NZS 2161.1:2000: Occupational protective gloves: Selection, use and maintenance. AS/NZS 2161.2:2005: Occupational protective gloves: General requirements. AS/NZS 2161.10.1:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms —Terminology and performance requirements. AS/NZS 2161.10.2:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to penetration. AS/NZS 2161.10.3:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to permeation by chemicals. AS/NZS 2210.1:2010: Safety, protective and occupational footwear - Guide to selection, care and use. AS/NZS 2210.2:2009: Occupational protective footwear - Test methods (ISO 20344:2004, MOD). AS/NZS 2210.4:2009: Occupational protective footwear - Specification for protective footwear (ISO 20346:2004, MOD). AS/NZS 4501.1:2008: Occupational protective clothing - Guidelines on the selection, use, care and maintenance of protective clothing.
------------------------------	---



Supplier: Pilot Pen Australia Pty Ltd
Product: FRIXION Fineliner (SW-FF; SFLL)
Page 9 of 10
Date of Issue: March 2021

SAFETY DATA SHEET

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

	AS/NZS 4501.2:2006: Occupational protective clothing - General requirements.
AICIS:	All ingredients present on the Australian Inventory of Industrial Chemicals.
SUSMP:	No Poisons Schedule allocated.

SECTION 16 – OTHER INFORMATION

Acronyms and Comments:

ACGIH:	American Conference of Industrial Hygienists.
ADG Code:	Australian Code for the Transport of Dangerous Goods by Road and Rail.
AERGB:	Australian Emergency Response Guide Book (2018).
AICIS:	Australian Industrial Chemicals Introduction Scheme which replaced National Industrial Chemicals Notification and Assessment Scheme (NICNAS).
AS:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia.
AS/NZ:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia and Standards New Zealand, Private Bag 2439 Wellington 6140, New Zealand.
ATE:	Acute Toxicity Estimate according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).
BEI:	Biological Exposure Indices published by the Conference of Governmental Industrial Hygienists (ACGIH), 1330 Kemper Meadow Drive, Cincinnati, OH 45240-4148, USA.
CAS Number:	Chemical Abstracts Service Registry Number.
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals, a globally harmonized system for classification and labelling of chemicals proposed by the United Nations.
HAZCHEM:	An emergency action code of numbers and letters which gives information to emergency services.
IARC:	International Agency for Research on Cancer.
IMDG:	International Maritime Dangerous Goods Code for transport by sea.
LC/LD:	The median lethal dose, LD ₅₀ (abbreviation for "lethal dose, 50%"), LC ₅₀ (lethal concentration, 50%) is the dose required to kill half the members of a tested population after a specified test duration. LD ₅₀ figures are frequently used as a general indicator of a substance's acute toxicity.
NOEC:	No-Observed-Effect-Concentration. The highest concentration of toxicant to which organisms are exposed in a full life-cycle or partial life-cycle (short-term) test, that causes no observable adverse effects on the test organisms (i.e., the highest concentration of toxicant in which the values for the observed responses are not statistically significantly different from the controls).
NOEL:	No-Observable-Effect-Level. It is the greatest concentration or amount of a substance, found by experiment or observation, that causes no alterations of morphology, functional capacity, growth, development, or life span of target organisms distinguishable from those observed in normal (control) organisms of the same species and strain under the same defined conditions of exposure.



SAFETY DATA SHEET

SECTION 16 – OTHER INFORMATION (CONTINUED)

NTP:	National Toxicology Program (USA Department of Health and Human Services).
OSHA:	Occupational Safety and Health Administration (USA).
PPE:	Personal Protective Equipment.
Safe Work Australia:	Safe Work Australia was formerly the Australian Safety and Compensation Council, which included the National Occupational Health and Safety Commission (NOHSC).
SDS:	Safety Data Sheet.
STEL:	Exposure standard - short term exposure limit, a 15-minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
SUSMP:	Standard for the Uniform Scheduling of Medicines and Poisons.
TDL₀:	Total Dose Low means the smallest deadly dose, which caused a toxic or other harmful effect after application on humans or animal.
TWA:	Exposure standard - time-weighted average, the average airborne concentration of a particular substance when calculated over a normal eight hour working day, for a five-day working week.
UK HSE:	United Kingdom Health and Safety Executive.
UN Number:	United Nations Number.
WHS:	Model work health and safety legislation introduced by the Australian government which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy. The WHS Regulations implement a new system of chemical hazard classification, labelling and safety data sheet requirements based on the GHS.
Issue Date:	23 March 2021.
Supersedes Issue Date:	Not applicable.
Revision Information:	New issue.
Contact Point:	Customer Service.
Telephone:	1300 325 866.
Note:	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
Disclaimer:	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Pilot Pen Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.