

Material Safety Data Sheet

LAUNDRY-TEC

Date of issue (ex Japan): 1 February, 2010 - Version 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION

1.1	Identification of the substance or preparation	
	Product Name LAUNDRY-TEC	
	Product Code SCA-LT-M-B/R/L/G	
	Preparation Name	BINK-B/R/L/G

1.2	Use of the	Ink for writing instrument	
	preparation		

2. HAZARDS IDENTIFICATION

Symptom of exposure			
Inhalation	Intentional exposure to ink vapors may cause respiratory		
	irritation.		
Ingestion	May cause upset stomach.		
Skin Contact	Ink contact with skin may cause irritation, swelling or		
redness. It is not expected to cause an allergic skin			
reaction.			
Eye Contact	Ink contact with eye may be mildly irritating.		

3. FIRST AID MEASURES

Inhalation	Remove subject to ventilated fresh air. Consult doctor if		
	necessary.		
Ingestion	Refer for medical attention.		
Skin Contact	Wash the affected area under tepid running water using a mild		
	soap. Refer for medical attention if irritation continues.		
Eye Contact	Gently rinse the affected eyes with clean water for at least 15		
	minutes. Refer for medical attention if irritation continues.		
First aid facilities	Ensure eyewash and water services are available.		
Medical attention Local contamination:			
	In case of skin or eye contamination, treat as under First Aid		
	Measures		
	Systemic poisoning:		
	There is no specific antidote. Treat symptoms.		

4. FIRE-FIGHTING MEASURES

4.1	Suitable extinguishing	In case of fire, use water spray, foam, dry chemical powder or carbon dioxide.
	media	
4.2	Extinguishing	None
	media which shall	
	not be used for	
	safety	
4.3	Special exposure	CO ₂ , CO, NO _x , and SO _x are produced after combustion.
	hazards arising	
	from the substance	
	or preparation	
	itself,combustion	
	products.	
4.4	Special protective	Not required.
	equipment for fire-	
	fighters	
4.5	Additional	None
	information	

5. ACCIDENTAL RELEASE MEASURES

5.1	Personal	Use proper ventilation. Use eye and skin protection.
	precautions	
5.2	Environmental	Do not dispose of waste to the sewer.
	precautions	
5.3	Methods for	Absorb spill with material (cloth or paper), then place in
	cleaning up	chemical waste containers.
5.4	Additional	None.
	information	

6. HANDLING AND STORAGE

6.1	Handling:	Avoid rough handling or dropping
	6.1.1 Protective measures	Not required in normal use.
	6.1.2 Measures to prevent	Not required in normal use.
	aerosol and dust generation	
	6.1.3 Measures required to	Not required in normal use.
	protect the environment	
	6.1.4 Specific requirements	None
	or handling rules	
	6.1.5 Precautions against	Not required in normal use.
	fire and explosion	
6.2	Storage	Store in a dry, cool, well-ventilated location,
		away from all possible sources of ignition.
6.3	Specific use(s)	Not use it except the ink for writing instruments

7. EXPOSURE CONTROLS / PERSONAL PROTECTION

7.1	Exposure limit values		Not available			
	7.1.1 Occupational exposure controls					Not available
	7.1.2 Biological	limit v	alues			Not available
	7.1.3 DNEL and	d PNE	C – value(s) as ap	pliable		No data
7.2	Exposure contr	ols				
	7.2.1 Occupation	7.2.1 Occupational exposure controls				
		a)	Respiratory pro	tection	Not re	equired in normal use
		b)	Hand protection	1	Not re	equired in normal use
		c)	Eye protection		Not re	equired in normal use
		d)	Skin protection		Not re	equired in normal use
	7.2.2 Environme	7.2.2 Environmental exposure controls				
	ACGIH TLV-	1-Pro	panol		200 p	pm
	TWA					

8. PHYSICAL AND CHEMICAL PROPERTIES

For	For ink unless otherwise specified			
8.1	General information	formation		
	Appearance	Viscosity Liquid		
		(Colour) Black, R	ed, Blue, Green	
	Odour	Alcohol odour		
8.2	Important health, sa	afety and environm	nental information	
	рН		Not applicable	
	Boiling point / boiling	g range	97.2 degrees Celsius (1-propanol)	
	Flash Point		24 degrees Celsius (1-propanol)	
	Flammability (solid,	gas)	Flammable	
	Explosive propertie	S	None	
	Oxidizing properties		None	
	Vapor pressure		15 mmHg (at 20 degrees Celsius 1-	
			propanol)	
	Relative density		0.92-0.95 (at 20 degrees Celsius)	
	Solubility		Not applicable	
	Water solubility		Insoluble	
	Partition coefficient: n-octanol/water		No data	
	Viscosity		170-240 mPa's (at 20 degrees Celsius	
			3.84s -1)	
	Vapour Density		2.1 (at 20 degrees Celsium, 1-propanol)	
	Evaporation rate		No data	
8.3	Other information		None	

9. STABILITY AND REACTIVITY

9.1	Conditions to avoid	Fire or intense heat may cause violent rupture of packages.
		Take precautionary measures against
		static discharges.
9.2	Materials to avoid	Strong oxidizing agents and reducing
		agents.
9.3	Hazardous decomposition products	Heating can release vapours which
		can be ignited.
		Burning produces obnoxious and toxic
		fumes, carbon oxides.

10. TOXICOLOGICAL INFORMATION

For ir	For ink unless otherwise specified.				
10.1	Toxicokinetics, metabolism	No data.			
	and distribution.				
10.2	Acute effects (acute				
	toxicity, irritation and				
	corrosivity)				
	1-Propanol	LD ₅₀ 1,870 mg/kg (rat oral)			
		LD ₅₀ 4,000 mg/kg (human oral)			
	Irritation: 1-Propanol	500 mg open: MILD (rabbit skin)			
		100 mg/24h: MODERATE (rabbit eye)			
10.3	Sensitisation	No data.			
10.4	Repeated dose toxicity	No data.			
10.5	CMR (carcinogenity,	No data.			
	mutagenicity, and toxicity				
	for reproduction)				

11. ECOLOGICAL INFORMATION

11.1	Ecotoxicity	No data.
11.2	Mobility	No data.
11.3	Persistence and degradability	No data.
11.4	Bioaccumulative potential	No data.
11.5	Results of PBT assessment	No data.
11.6	Other adverse effects	None

12. DISPOSAL CONSIDERATIONS

Follow all regulations in your country.	

13. TRANSPORT INFORMATION

13.1	UN number	1993
13.2	Class	3
13.3	Proper shipping name	Not applicable
13.4	Packing group	Not applicable
13.5	Marine pollutant	Not applicable
13.6	Other applicable information	None

14. REGULATORY INFORMATION

Follow all regulations in your country.

15. OTHER INFORMATION

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any mateiral is the sole responsibility of the user.

END OF SDS