

PIXMA TS9560a

Cartridge

TECHNICAL SPECIFICATIONS



Canon

PIXMA TS9560a

Cartridge



IDEAL FOR HOME OFFICE / WORKING FROM HOME

The PIXMA TS9560a can print, copy and scan multiple-page documents, and with the 20-sheet Auto Document Feeder (ADF), it's a perfect fit for any home office with high productivity, seamless wireless connectivity and auto double-sided printing.



GET CREATIVE

The PIXMA TS9560a can print on a range of media options, such as nail stickers, 12" x 12" card stock (for scrapbooking and card making), 5" x 15" and 3.5" x 3.5" square sizes, restickable and magnetic paper. Produce crisp text with pigment black, beautiful photos with 5-color independent inks. You can even print borderless 4"x6" photos in approx. 17 seconds.



SD CARD READER

Print photos off your laptop or camera, with the printer's direct SD card slot - making it easier than ever before to showcase your prints.



ACHIEVE SIMPLE SETUP WITH WIRELESS CONNECTIVITY

Printing, scanning, copying and connecting to the cloud has never been easier – simply connect to the Canon PRINT app or PIXMA Cloud Link to get underway. You can also print wirelessly directly from your mobile devices such as your smartphone, tablet, or laptop via AirPrint (iOS) or Mopria (Android)².



1: Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.
2: AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).

What inks can I use with my printer?

680 PGBK XXL	680 PGBK XL	680 PGBK	681 C XXL	681 C XL	681 C	681 M XXL	681 M XL	681 M	681 Y XXL	681 Y XL	681 Y	681 BK XXL	681 BK XL	681 BK
Ink Yield A4 document: 600 4"x6" photo: 500	Ink Yield A4 document: 400 4"x6" photo: 3373	Ink Yield A4 document: 200 4"x6" photo: 1263	Ink Yield A4 document: 820 4"x6" photo: 282	Ink Yield A4 document: 515 4"x6" photo: 170	Ink Yield A4 document: 256 4"x6" photo: 83	Ink Yield A4 document: 760 4"x6" photo: 367	Ink Yield A4 document: 474 4"x6" photo: 225	Ink Yield A4 document: 237 4"x6" photo: 108	Ink Yield A4 document: 824 4"x6" photo: 322	Ink Yield A4 document: 514 4"x6" photo: 199	Ink Yield A4 document: 257 4"x6" photo: 99	Ink Yield A4 document: 6360 4"x6" photo: 858	Ink Yield A4 document: 3320 4"x6" photo: 520	Ink Yield A4 document: 1451 4"x6" photo: 231

PIXMA TS9560a | SPECIFICATIONS

 Cartridge

GENERAL FEATURES	
Model	PIXMA TS9560a
Ink Type	5 Individual Ink Tanks (PGBK/C/M/Y/BK)
Maximum Print Resolution	4,800 dpi x 1,200 dpi*1
Size	Approx. 469 x 366 x 193 mm Approx. 18.5 x 14.5 x 7.6 inch
Weight	Approx. 9.7 kg Approx. 21.3 lbs
Display	4.3" / 10.8cm TFT LCD colour
Interface	USB-B Hi-Speed, Card slots
Connectivity	Wired LAN, Wireless LAN 2.4GHz, Direct Connection (Wireless LAN)
Auto Double Sided Printing	Available
PRINT SPEED	
Document: Colour*2	Approx. 10.0 ipm
Document: Black & White*2	Approx. 15.0 ipm
Photo (4" x 6")*2	21 seconds
POWER CONSUMPTION	
OFF	Approx. 0.3 W
Copying*3 USB connection to PC	Approx. 14 W
Standby (MFP: scanning lamp is off) USB connection to PC	Approx. 1.2 W
Standby (all ports connected, MFP: scanning lamp is off)	Approx. 2.0 W
Time to enter Standby mode	Approx. 10 min 56 sec
Input Power	AC 100-240 V, 50 / 60 Hz
ENVIRONMENT	
Operating Environment*4	Temperature: 5 - 35 °C Humidity: 10 - 90 %RH (no dew condensation)
Recommended Environment*5	Temperature: 15 -30 °C Humidity: 10 - 80 %RH (no dew condensation)
Storage Environment	Temperature: 0 - 40 °C Humidity: 5 - 95 %RH (no dew condensation)
ACOUSTIC NOISE (PC PRINT)	
Quiet Mode	Available
Acoustic Noise (PC print) Plain Paper*6	Approx. 49.5 dB(A)
PRINT HEAD / INK	
Number of Nozzles	Total 4,096 nozzles (PGBK: 1,024 nozzles, BK/Y: 512 nozzles, C/M: 1,024 nozzles)
Compatible Ink	PGBK: PG-680, PG-680XL, PG-680XXL. C,M,Y,BK: CL-681, CL-681XL, CL-681XXL

PIXMA TS9560a Cartridge | SPECIFICATIONS

PRINTABLE WIDTH	
	Up to 298 mm (11.7 inch), Borderless: Up to 304.8 mm (12 inch)
PRINTABLE AREA	
Borderless Printing*7	Top / Bottom / Right / Left margin: each 0 mm
Bordered Printing	Top margin: 3 mm, Bottom margin: 5 mm, Left/Right margin: each 3.4 mm (LTR/LGL: Left: 6.4 mm, Right: 6.3 mm)
Bordered Auto 2-Sided Printing	Top margin: 5 mm, Bottom margin: 5 mm, Left/Right margin: 3.4 mm (LTR: Left: 6.4 mm, Right: 6.3 mm)
SUPPORT MEDIA	
Rear Tray	Plain Paper, Photo Paper Pro Platinum (PT-101), Photo Paper Pro Luster (LU-101), High-Resolution Paper (HR-101N), Photo Paper Plus Glossy II (PP-301), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), T-Shirt Transfer, Envelope, Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock(For more detail, please see "product outline"), Magnetic Photo Paper(MG-101), Restickable Photo Paper(RP-101)
Front Tray	Plain Paper
Multi-Purpose Tray	Printable Nail Stickers (NL-101)
PAPER SIZE	
Rear Tray	A4, A5, B5, LTR, LGL, LDR, B4, A3, Envelopes(DL, COM10), Square (5"x5", 4"x4", 3.5"x3.5"), Card Size(91 x 55mm), 4"x6", 5"x7", 7"x10", 8"x10", 10"x12", 12"x12" [Custum size] width 55mm - 304.8 mm, length 89mm - 676mm
Front Tray	A4, A5, B5, LTR [Custum size] width 148.0 mm - 215.9 mm, length 210mm - 297mm
PAPER SIZE (BORDERLESS)*8	
	A4, A3, LTR, LDR, 4"x6", 5"x7", 7"x10", 8"x10", 10"x12", 12"x12" Card Size(91x55mm), Square (5"x5", 4"x4", 3.5"x3.5")
PAPER HANDLING (MAXIMUM NUMBER)	
Rear Tray	A4 Plain Paper: 100 A3 Plain Paper: 50
Front Tray	Plain Paper (64 g/m2): 100 4"x6" – PP-208: 10, Other Canon photo paper: 20 5"x7" - 10
PAPER WEIGHT	
Rear Tray	Plain Paper: 64-105 g/m2, Canon specialty paper: max paper weight : approx. 300 g/m2 (Photo Paper Pro Platinum PT-101)
Front Tray	Plain Paper: 64 g/m2 -105 g/m2

PIXMA TS9560a | SPECIFICATIONS

Cartridge

SCANNER FUNCTIONS*9

Scanner Type	Flatbed (ADF / Platen)
Optical Resolution*10	1,200 x 2,400 dpi
Scanning Bit Depth (Input/Output)	Grayscale: 16 bit / 8 bit Colour: RGB each 16 bit / 8 bit
Maximum Document Size	Flatbed: A4 / LTR (216 x 297 mm) ADF: A4 / LTR / LGL


COPY FUNCTIONS

Maximum Document Size	A4 / LTR
Compatible Media	Plain Paper, Photo Paper Pro Platinum (PT-101), Photo Paper Pro Luster (LU-101), Photo Paper Plus semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), Photo Paper Plus Glossy II (PP-301), Printable Disc
Image Quality	3 positions (Draft, Standard, High)
Multiple Copy	Black & White / Colour: max. 99 pages

PRINTING SOLUTION

Available for*12	AirPrint / Mopria / Google Cloud Print / Canon Print Service (for Android) / PIXMA Cloud Link / Canon PRINT (for iOS / Android) / Camera Direct / Card Direct
Minimum System Requirements	Windows® 10, Windows 8.1, Windows 7 SP1 MacOS v10.12 ~ 10.13, OS X 10.10.5 ~ 10.11, iOS®, Android™, Windows 10 Mobile

Contents



USB cable not included.

What's in the Box?

- Printer
- Power cord
- Ink cartridges setup
- CD setup
- Getting started guide

PIXMA TS9560a | DISCLAIMERS

 Cartridge

*1: Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

*2: Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

*3: Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Specifications are subject to change without notice.

*4: The performance of the printer may be reduced under certain temperature and humidity conditions.

*5: For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.

*6: Acoustic Noise is measured based on ISO7779 standard with default setting.

*7: Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers

*8: The following media does NOT support borderless printing. : High Resolution Paper, T-Shirt Transfer, Photo Stickers

*9: TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.

*10: Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

*11: Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

*12: Resolution may be changed between Direct print and printing from PC.

Standard disclaimers:

- If your inkjet printer is found defective within the applicable manufacturer warranty period (1 Year), we'll replace it with the same, or an equivalent model. Excludes damage caused by external factors. Canon's full replacement promise is in addition to your rights under Australian Consumer Law which, depending on the type of fault, includes repair, replacement or a refund. For full terms see: www.canon.com.au/printassist or the card in the printer box. Only for products purchased at Authorised Canon Australia retailers
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).
- USB cable not included.

Note:

A complete set of ink cartridges with ink available in each cartridge is required for all functions including copy, print and scan. Some functions (e.g. PIXMA Cloud Link, scan to cloud or scan to email) may not work unless genuine Canon inks are used and/or an internet connection is established.

Canon

**www.canon.com.au
www.canon.co.nz**