

MFC-J5110DW

A4 INKvestment Business Inkjet Printer



The Brother MFC-J5110DW is an A4 INKvestment Business printer that works with the business software your office already uses. It comes with up to 1 year of ink in-box*, with replacement cartridges delivering up to 5,000 black pages¹ each to keep running costs low and predictable. 600 sheets across three paper sources

mean letterhead, plain and envelopes each have a home, and the multi-purpose tray takes A4-width sheets up to 1.2m long. Triple-layer security at a device, network and document level, with Secure Print holding every job until it's released at the machine. Backed by a 2 Years Return to Base warranty.

General	
Engine	Colour Inkjet
Warranty	2 Years Return-to-Base
Carton Contents	Printer, Quick Setup Guide, Power Cord, Telephone Line Cord and Adaptor, Ink Cartridges - Black (LC536XLBK), Cyan (LC536XLC), Magenta (LC536XLM), Yellow (LC536XLY)
Display	
LCD Display	10.9cm Colour LCD (Touchscreen)
Shortcuts	64
Printer	
Standard Memory	512MB
Print Speed	28/26ppm (A4 Mono/Colour: based on ISO/IEC 24734)
2 Sided Print Speed	Up to 22/21ppm (A4 Mono/Colour, based on ISO/IEC 24734)
2 Sided Print	Automatic up to A4/Letter
Emulation	PCL6, BR-Script3, PDF Version 2.0
Printer Resolution	Up to 1200 x 4800 dpi
Printer OS Compatibility	Windows 11, Windows 11Arm, Windows 10 (32&64bit), Windows Server 2025, Windows Server 2022, Windows Server 2019, Windows Server 2016 macOS 13-26 ³ Linux rpm, deb
First Print Out Time	4.7 sec/4.5 sec (Colour/Mono) (ISO/IEC 17629)
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts Postscript: 66 scalable fonts
Quiet Mode	Yes
Recommended Monthly Print Volume	250 to 2,500 pages
Paper Handling	
Standard Paper Capacity	Upper Tray: Up to 250 Sheets, Lower Tray: Up to 250 Sheets
Multi-Purpose Tray Capacity	Up to 100 sheets
Envelopes Input	Up to 10 envelopes (Upper or MP tray only)
Output Paper Capacity	Up to 150 sheets, Up to 50 sheets larger than A4/LTR
ADF	Up to 50 sheets
Media Weights Paper Tray	Upper Tray: 64 - 220 gsm Lower Tray: 64 - 120 gsm
Media Weights MP Tray	64 - 220 gsm
Media Weights ADF	64 - 105 gsm
Media Weights Duplex	64 - 105 gsm
Media Size Paper Tray	Upper Tray: A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-L(89x127mm/3.5x5inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray: A4, LTR, EXE, LGL, Folio, A5, Mexico Legal, India Legal
Media Size MP Tray	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5inch), Mexico Legal, India Legal, Long paper(max length:1200mm)
Media Size ADF	Width 105 to 216 mm, Length 148 to 356 mm (simplex), long paper length: 900mm
Media Size Duplex	PC Print: LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Copy: LGL, Folio, A4, LTR, A5, Mexico Legal, India Legal
Media Size Scanner Glass	Up to 216(W)/297(L)mm
Media Types Paper Tray	Upper Tray: Plain, Inkjet, Glossy, Recycled Lower Tray: Plain, Recycled
Media Types MP Tray	Plain, Inkjet, Glossy, Recycled
Media Types ADF	Plain, Recycled
Media Types Duplex	Plain, Recycled
Digital Copier	
Copier Speed	Simplex: 24/14 ipm, Duplex: 18/12 ipm (Mono/Colour: based on ISO/IEC 24735)
First Copy Out Time	6.8/5.8 sec (Colour/Mono) (based on ISO/IEC 24735 Annex D)

2 Sided Copy	Duplex Scan to Duplex Print
Copier Resolution	(Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi (FB) (Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi (ADF)
Reduction-Enlargement Ratio	25 - 400% in 1% increments
Copier N-in-1	2 in 1, 2 in 1 (ID) & 4 in 1 (A4/LTR Mono/Colour)
Copier Poster	Yes (3x3, 2x2, 1x2)
Copier Multi Sort	Yes
Copier Multi Stack	Up to 999 copies
Digital Scanner	
Scanner Colour/Mono	Colour
Scanner Colour Depth	48 bit input / 24 bit output colour
Scanning Technology	Dual CIS (up to A4/LTR)
2 Sided Scan	Single Pass (Up to A4/LTR from ADF)
Scanner Speed	Simplex: A4: 25ipm/25ipm Duplex: A4: 30ipm/30ipm In accordance with ISO/IEC 17991
Scanner Resolution (Optical)	From Glass: 1200x2400dpi(mono) / 1200x1200dpi(colour) From ADF: 600x600dpi(mono) / 600x600dpi(colour)
Scanner Resolution (Interpolated)	For Win 10/11, up to 19200x19200 dpi with Scanner Utility
Scanning Area	Flatbed: 214(W) x 295(L)mm ADF: 214(W) x 354(L)mm
Scanner Grey Scale	256 levels
Scan to Email Client	Yes
Scan to Email Server	Yes
Scan to OCR	Yes
Scan to Image	Yes
Scan to File	Yes
Scan to FTP	FTP
Scan to Media	USB memory drive
Scan to SharePoint	Office 365 via Web Connect
Scan to Network Folder	Windows Folder only
Scan To Cloud	Yes - See Web Connect
Network Scan	Windows/Mac
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 13-26 ³ Linux rpm, deb
Twain Compliant	Windows: TWAIN or WIA for Windows 11, Windows 10 Mac: NA (Use AirPrint) Linux: SANE
Fax	
Modem Speed	33,600bps (Fax)
2 Sided Fax	Send Only
Colour Faxing	Document Send/Receive: Yes/Yes
ITU-T Group compatibility	Super G3
Telstra Duet Compatible	Yes
Speed Dials	100 x 2 locations
ECM	Yes
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart)
Broadcasting	250 locations (200+50)
Automatic Reduction	Yes
Fax Forwarding	To Fax number or Email Address
Fax Features	
PC Fax	Send/Receive from Windows Send only from Mac / Linux (Network / USB)
Internet Fax	Yes - T37 protocol
Direct Print / Scan Feature	
Digital-Media Type	USB Flash Memory
Digital-Media Spec	

Digital-Media Format	Print: JPEG / PDF version 2.0 Scan: JPEG/PDF (colour), TIFF/PDF (B&W)
Direct USB	Print/Scan
Software	
Software Available	Windows: PaperPort 14SE and OCR, iPrint&Scan, BRAdmin Professional, PC Fax Send/Receive Mac: iPrint&Scan, PC Fax Send
Print Support App	Yes
iPrintScan Desktop	Windows/Mac
Light Solutions	Yes
Kofax Compatible	AutoStore, ControlSuite, Equitrac
Mass Deployment Tool	Yes
Connectivity	
Interface	Hi-Speed USB 2.0, 10/100Base-TX/1000Base-T Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11a/g/n
Wi-Fi Direct	Yes - Up to 4 connections
USB Host	Direct Print/Scan External IC Card Reader (Front)
Networking	
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11a/n (Infrastructure), Wi-Fi Direct IEEE 802.11a/g/n
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNr responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNMP Client, LDAP, HTTP Server, Syslog
Network Protocols IPV6	NDP, RA, mDNS, LLMNr Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4/SMTP Client, CIFS Client, SNMP Client, LDAP, ICMPv6, HTTP Server, Syslog
Email Alerts	E-mail Notification and Reports
Network Management Utilities	
Network Management	Windows: Web Based Management, BRAdmin Professional ¹ Mac: Web Based Management Linux: Web Based Management
Web Based Management	Yes
BRAdmin Professional	Windows only
Security	
Wired Security	APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTPS), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
Wireless Security	APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTPS), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.
IPv4-Filter	IPv4, IPv6
Secure Print	Windows/Mac
Secure Function Lock	(Version.3.0) Up to 100 registered users
OAuth	Ver 2.0
SMB	1.0 / 2.0 / 2.1/ 3.0/ 3.02 / 3.1.1
TLS-SSL	Open SSL: NA TLS: 1.0, 1.1, 1.2, 1.3
Mobile / Web Connect	
Mobile Connect	iOS/Android
AirPrint	Yes

Mopria	Yes
IPP Everywhere	Yes
Google ChromeOS	Print, Scan
Android Print Service Plugin	Yes
Mobile Applications	Print Service Plugin, Mobile Connect
Web Connect	Scan To/Download and Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
Brother Apps	Scan to PowerPoint, Scan to Excel, Scan to Word, Scan to Searchable PDF, Easy Scan to Email, Fax Forward to Cloud / Email, Scan to Mobile, Cloud Secure Print-Pull, Email Print
Universal Print	Yes
Options	
Optional Paper	BP-71GA4 - 20 Sheets (260gsm) Glossy Paper (A4), BP-71GP20 - 20 Sheets (260gsm) Glossy Paper 6in x 4in, BP-60MA - 25 Sheets (145gsm) Matte Paper (A4), BP-60PA - 250 Sheets (72.5gsm) Plain Paper (A4)
Consumables	
Inbox Consumables	2,780 pages of LC536XLBK 3,500 pages of LC536XXL C/M/Y

Standard Yield Ink	LC536BK up to 1,000 pages each, LC536 C/M/Y up to 900 pages each Based @ ISO 24711 pattern/normal
High Yield Ink	LC536XLBK up to 2,500 pages each, LC536XL C/M/Y up to 1,500 pages each Based @ ISO 24711 pattern/normal
Super High Yield Ink	LC536XXLBK up to 5,000 pages each, LC536XXL C/M/Y up to 2,500 pages each Based @ ISO 24711 pattern/normal
Weights & Measurements	
Size	435(W) x 439(D) x 340(H)mm
Weight	16.8 kg without consumables 17.1 kg with consumables
Size with Carton	556(W) x 530(D) x 468(H)mm
Weight with Carton	20.9 kg
Environment	
Power Consumption	Copying: 33W, Printing: 23W, Ready: 5W, Sleep: 0.9W, Off: 0.03W
Sleep Mode	Yes
Power Save	Yes
Other	
Noise Level	Sound Pressure Level: (Printing) Approx. 53.5 dB(A)

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Disclaimers:

1. Approx. page yields declared in accordance with ISO/IEC 24711
2. Print speed (ESAT) in accordance with ISO/IEC 24734
3. First print out time in accordance with ISO/IEC 17629
4. Long length printing is supported up to approximately 1,200mm when using recommended media and the multi-purpose tray; actual maximum may vary depending on conditions and application.
- * Based on average monthly print volumes of approximately 200 pages in accordance with ISO/IEC 24711 using the 4 cartridges provided in-box. See go.brother/pageyield
5. Download from the Brother Solutions Centre
6. Via AirPrint or iPrint&Scan



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



www.brother.com.au/en/social-media-hub

Find out more

