

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

Synonyms 187101 (BLACK) • 187102 (RED) • 187103 (BLUE) • 187104 (GREEN) • 187106 (PURPLE) • 187109

(PINK

1.2 Uses and uses advised against

Uses BALL POINT PEN ● WRITING

1.3 Details of the supplier of the product

Supplier name ACCO BRANDS AUSTRALIA

Address 2 Coronation Ave, Kings Park, NSW, 2148, AUSTRALIA

 Telephone
 (02) 9674 0900

 Fax
 (02) 9674 0910

 Email
 sds.anz@acco.com

 Website
 www.accobrands.com.au

www.accobrands.

1.4 Emergency telephone numbers

Emergency 13 11 26 (Poison Information Centre)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Acute Toxicity: Oral: Category 4

Serious Eye Damage / Eye Irritation: Category 2A

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word WARNING

Pictograms



Hazard statements

H302 Harmful if swallowed. H319 Causes serious eye irritation.

Prevention statements

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page 1 of 7

ChemAlert.

SDS Date: 02 Apr 2020

PRODUCT NAME ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

Response statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P330 Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage statements

None allocated.

Disposal statements

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

Whilst this product is classified is Hazardous, exposure is significantly reduced to the product form/application (dispensed via a pen).

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
2-PHENOXYETHANOL	122-99-6	204-589-7	15 to 40%
BENZYL ALCOHOL	100-51-6	202-859-9	5 to 20%
FORMALDEHYDE, POLYMER WITH CYCLOHEXANONE	25054-06-2	607-515-5	10 to 40%
OLEIC ACID	112-80-1	204-007-1	5 to 10%
C.I. SOLVENT BLACK 46	65113-55-5	265-449-9	<=25%
C.I SOLVENT BLUE 4	6786-83-0	229-851-8	1 to 10%
SOLVENT RED 39	65138-66-1	265-499-1	1 to 10%
2-BUTYL-6-(BUTYLAMINO)-1H-BENZ[DE]ISOQUINOLINE- 1,3(2H)-DIONE	19125-99-6	242-828-7	3 to 10%
C.I. SOLVENT BLUE 38	1328-51-4	215-523-1	3 to 10%
SOLVENT BLUE 43	61813-75-0	612-411-8	<=10%
METHYL VIOLET B BASE	52080-58-7	610-776-8	<=10%
SOLVENT RED 49	509-34-2	208-096-8	<=10%
NIGROSINE DYE	8005-02-5	-	1 to 5%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

Page 2 of 7

swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

First aid facilities None required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.



SDS Date: 02 Apr 2020

PRODUCT NAME ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition. May evolve nitrogen oxides when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Store as a Class C2 Combustible Liquid (AS1940).

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m³	ppm	mg/m³
Formaldehyde	SWA [AUS]	1	1.2	2	2.5

Page 3 of 7

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / FaceNot required under normal conditions of use.HandsNot required under normal conditions of use.BodyNot required under normal conditions of use.RespiratoryNot required under normal conditions of use.



SDS Date: 02 Apr 2020

ARTLINE FLOW RETRACTABLE PEN - SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance **COLOURED LIQUID** Odour CHARACTERISTIC ODOUR **Flammability** CLASS C2 COMBUSTIBLE

Flash point > 94°C

Boiling point NOT AVAILABLE Melting point NOT AVAILABLE NOT AVAILABLE Evaporation rate

рΗ 4 to 8

NOT AVAILABLE Vapour density **NOT AVAILABLE** Specific gravity Solubility (water) **INSOLUBLE** Vapour pressure **NOT AVAILABLE NOT AVAILABLE** Upper explosion limit Lower explosion limit NOT AVAILABLE Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature **NOT AVAILABLE** Viscosity NOT AVAILABLE **Explosive properties** NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Hazardous polymerisation is not expected to occur.

10.4 Conditions to avoid

Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

This product is considered relatively stable in the form supplied, however the contents of this product are incompatible with acids (e.g. nitric acid), oxidising agents (e.g. hypochlorites), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Contents may be harmful if swallowed. **Acute toxicity**

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
2-PHENOXYETHANOL	1850 mg/kg (rat)	> 2000 mg/kg (rabbit)	
BENZYL ALCOHOL	1230 mg/kg (rat)	2000 mg/kg (rabbit)	> 4178 mg/L (rat) (NICNAS)
OLFIC ACID	74 g/kg (rat)		

Due to product form, adverse health effects via skin contact are not anticipated. However, prolonged or Skin

repeated contact may result in irritation, rash and dermatitis.

Due to product packaging, the potential for exposure is reduced. However, contact with packaged contents Eye

Page 4 of 7



SDS Date: 02 Apr 2020

PRODUCT NAME ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

may result in irritation, pain and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen. Carcinogenicity Not classified as a carcinogen.

Not classified as a reproductive toxin. Reproductive

STOT - single Over exposure to vapours may result in irritation of the nose and throat, with coughing. High level exposure

may result in dizziness, nausea and headache. Product form reduces the potential for over exposure. Not classified as causing organ damage from repeated exposure. However, repeated exposure to some

STOT - repeated solvents have been reported to cause adverse effects to the central nervous system (CNS).

Aspiration Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

exposure

exposure

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

No special precautions are required for the disposal of this product. Waste disposal

Dispose of in accordance with relevant local legislation. Legislation

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Poison schedule Uniform Scheduling of Medicines and Poisons (SUSMP).

Page 5 of 7

ChemAlert.

SDS Date: 02 Apr 2020

PRODUCT NAME ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

Inventory listings AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information

WORK PRACTICES - SOLVENTS: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations	ACGIH	American Conference of Governmental Industrial Hygienists
---------------	-------	---

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

Page 6 of 7

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average



SDS Date: 02 Apr 2020

PRODUCT NAME

ARTLINE FLOW RETRACTABLE PEN – SINGLE INK COLOUR IN ASSOCIATED COLOURED HOUSING

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]



SDS Date: 02 Apr 2020