

## Safety Data Sheet (SDS)

Preparation Date 2012/10/03

Revision Date 2021/08/04

## Section 1 - CHEMICALS AND COMPANY IDENTIFICATION

Chemical Identifier	ODF 2 - A
Product Code	ODF2A00001
Company Name	PENTEL CO., LTD.
Address	7-2,KOAMICHO,NIHONBASHI,CHUO-KU,TOKYO
Company Contact	QUALITY ASSURANCE DEPARTMENT I
Phone Number	048-928-6668
Fax Number	048-928-9190
Mail Address	hinpo@pentel.co.jp
Emergency Phone Number	048-928-6668
Australian Co.	PENTEL AUSTRALIA PTY LTD
Address	Unit 4, 12 Mars Road, Lane Cove West NSW 2066
Company Contact	Customer Service
Mail Address	<a href="mailto:sales@pentel.com.au">sales@pentel.com.au</a>
Emergency Phone Number	02 9425 4800
Recommended Use and Restriction on Use	ink  (E)NN50,60-A, NX(N)50,60-A, NR2-A, N850,860-A, N860INK-A, NX(N)S15-A, NR3,4-A, NXSINK-A

## Section 2 - HAZARDS IDENTIFICATION

## GHS Classification

Physicochemical Hazards	Flammable liquids Category 2
Health Hazards	Acute toxicity - inhalation (vapour) Category 4 Serious eye damage/eye irritation Category 1 Sensitization - respiratory Category 1 Sensitization - skin Category 1 Germ cell mutagenicity Category 1B Reproductive toxicity Category 1A Specific target organ toxicity (single exposure) Category 2(kidney,systemic toxicity,central nervous system) Specific target organ toxicity (single exposure) Category 3(narcotic effect,respiratory tract irritation)  Specific target organ toxicity (repeated exposure) Category 1(liver) Specific target organ toxicity (repeated exposure) Category 2(central nervous system)
Environmental Hazards	Hazard to the aquatic environment (acute hazard) Category 3

## GHS Label Elements

Hazard to the aquatic environment (long-term hazard) Category 3  
Other hazards than mentioned above are Not applicable or No data available.

## Symbols



## Signal Word

Danger

## Hazard Statements

H225 Highly flammable liquid and vapour  
H318 Causes serious eye damage  
H317 May cause an allergic skin reaction  
H332 Harmful if inhaled  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 May cause respiratory irritation  
H336 May cause drowsiness and dizziness  
H340 May cause genetic defects  
H360 May damage fertility or the unborn child  
H371 May cause damage to kidney, systemic toxicity, central nervous system  
H372 Causes damage to liver through prolonged or repeated exposure  
H373 May cause damage to central nervous system through prolonged or repeated exposure  
H412 Harmful to aquatic life with long lasting effects

## Precautionary

## Statements

## Prevention

## Precautionary

## Statements

Wear protective gloves, eye protection and face protection.(P280)

Keep container tightly closed.(P233)

Avoid breathing mist, vapours and spray.(P261)

Keep cool.(P235)

Wash hand thoroughly after handling.(P264)

Do not eat, drink or smoke when using this product.(P270)

Use only outdoors or in a well-ventilated area.(P271)

## Response

## Precautionary

## Statements

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.(P305+P351+P338)

Get medical advice and attention if you feel unwell.(P314)

	If skin irritation or rash occurs, get medical advice and attention.(P333+P313) If eye irritation persists: Get medical advice and attention.(P337+P313)
Storage Precautionary Statements	Store in a well-ventilated place keeping container tightly closed.(P403+P233)
Disposal Precautionary Statements	Store locked up.(P405) Dispose of contents and container in accordance with local, regional and national regulations (to be specified).(P501)

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or mixture

Mixture

Chemical Name or Generic Name	Concentration or Its Ranges	Formula	ENCS No./ISHL No.		CAS RN
			ENCS No.	ISHL No.	
Ethanol	49.25%	CH <sub>3</sub> CH <sub>2</sub> OH	(2)-202	Existing	64-17-5
Isopropanol	7.72%	CH <sub>3</sub> CH(OH)CH <sub>3</sub>	(2)-207	2-(8)-319	67-63-0
Acetone	0.63%	CH <sub>3</sub> COCH <sub>3</sub>	(2)-542	Existing	67-64-1
1-Propanol	14%	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH	(2)-207	Existing	71-23-8
Benzyl alcohol	5%	C <sub>7</sub> H <sub>5</sub> O	(3)-1011	Existing	100-51-6
Alkyl(C10-16)benzenesulfonic acid	4%		Unknown	Unknown	68584-22-5
Rosin	7%		(7)-935	Existing	8050-09-7

Impurities and/or  
Stabilizing Additives which  
Contribute to the  
Classification

No information available

## Section 4 - FIRST AID MEASURES

Inhalation

If breathing is difficult, move affected person to the open air. Keep him or her at rest to allow easier breathing.  
Get medical advice and attention if you feel unwell.

Skin Contact

Wash with plenty of soap and water.  
If skin irritation or rash occurs, get medical advice and attention.

Eye Contact

Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do.  
Continue rinsing.  
When the ocular stimulation lasts, Seek medical treatment and advice.

Ingestion

Rinse mouth. Do NOT induce vomiting.  
Get medical advice and attention if you feel unwell.

## Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Dry chemicals, CO<sub>2</sub>, water spray or regular foam.

Protection of Fire Figther

In fire fighting, wear respiratory protection and chemical protective clothing.

## Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions,  
Protective Equipment and  
Emergency Procedures

Wear appropriate personal protective equipment (Refer to "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION") and avoid inhalation or contact with eyes and skin.

Environmental Precautions

Do not release into the environment.

Pay attention not to cause the influence on the environment by discharging into rivers.

This product is water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

Methods and Equipment  
for Containment and  
Cleaning up

Stop leak if you can do it without risk.

Small spills; cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.

Allow material to solidify, and scrape up.  
After removal, flush contaminated area thoroughly with water.

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Vacuum or sweep up material and place in a disposal container.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Prevention Measures for  
Secondary Accidents

Removes all ignition sources promptly. (Prohibition of smoking, sparks, and flames in the surrounding area).

Prevent flowing into drain, sewage, basement, and closed area.

Remove thoroughly since the smooth and slippery surface will be formed on the floor.

## Section 7 - HANDLING AND STORAGE

Handling

Technical Measures

Provide ventilation system and use necessary personal protective equipment as described in "Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION".

Storage Precautionary Statements	Precautions for Safe Handling	<p>Do not eat, drink or smoke when using this product.</p> <p>Wash hand thoroughly after handling.</p> <p>Avoid breathing mist, vapours and spray.</p> <p>Avoid swallowing.</p> <p>Avoid contact with skin.</p> <p>Use exhaust ventilation.</p> <p>Avoid contact with eyes.</p> <p>Handle at a well-ventilated place.</p> <p>Protect from high temperature and direct sunlight.</p>
	Prevents Handling of Incompatible Substances or Mixtures	Refer to "Section 10 - STABILITY AND REACTIVITY".
	Specific Hygiene Measures	Wash hand thoroughly after handling.
	Technical Measures	<p>The storage facility should be provided with necessary lighting, lighting equipment, and ventilator to store and handle dangerous goods.</p> <p>Refer to "Section 10 - STABILITY AND REACTIVITY".</p> <p>Have containers keep away from direct sunlight and heat.</p> <p>Keep away from heat.</p> <p>Store in a tightly closed container.</p> <p>Store locked up.</p>
	Material Used in Packaging/Containers	Use containers prescribed in the "Fire Service Law (Japan)" and the "UN Transport Regulations".

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls		Good general ventilation should be sufficient to control airborne levels.
Personal Protective Equipment	Respiratory Protection	Wear an adequate protective apparatus for respiratory organs.
	Hand Protection	Wear protective gloves.
	Eye Protection	Wear eye protection. Protection glasses (ordinary glasses, ordinary glasses with side shields, and goggles).

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Physical State	liquid
	Form	liquid
	Colour	black
Odour		alcoholic
Odour threshold		No data available
pH		No data available
Melting Point/Freezing Point		No data available
Initial Boiling Point and Boiling Ranges		No data available
Flash Point		7.4°C (Tag Closed Cup)
Evaporation Rate		No data available
Flammability (solid, gas)		No data available
Flammability or Explosive Limits	Lower Limit	No data available
	Upper Limit	No data available
Vapour Pressure		No data available
Vapour Density		No data available
Specific Gravity (Density)		No data available
Partition Coefficient : n-Octanol/Water		No data available
Auto-Ignition Temperature		No data available
Decomposition Temperature		No data available
Viscosity		No data available
Kinematic viscosity		No data available

## Section 10 - STABILITY AND REACTIVITY

Reactivity	No data available
Chemical stability	No data available
Possibility of Hazardous Reaction	No data available
Conditions to Avoid	No data available
Incompatible Substances or Mixtures	No data available
Hazardous Decomposition Products	No data available

## Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity	No information available
Skin Corrosion/Irritation	No data available

Serious eye damage/eye irritation	No data available
-----------------------------------	-------------------

Respiratory or Skin Sensitization	No data available
-----------------------------------	-------------------

Germ Cell Mutagenicity	No data available
------------------------	-------------------

Carcinogenicity	No data available
-----------------	-------------------

Reproductive Toxicity	No data available
-----------------------	-------------------

Specific target organ toxicity (single exposure)	No data available
--	-------------------

Specific target organ toxicity (repeated exposure)	No data available
--	-------------------

Aspiration Hazard	No data available
-------------------	-------------------

#### Section 12 - ECOLOGICAL INFORMATION

Hazard to the aquatic environment (acute hazard)	No data available
--	-------------------

Hazard to the aquatic environment (long-term hazard)	No data available
--	-------------------

Hazard to the ozone layer	No data available
---------------------------	-------------------

#### Section 13 - DISPOSAL CONSIDERATIONS

Residual Waste	Disposal should be in accordance with applicable regulations and standards by the respective local governments. Commission a waste disposal company, or a local public body who are licensed by local or regional government, to dispose of the material.
----------------	--

Contaminated Container and Packaging	Recycle containers after cleansing, or carry out the disposal under the related laws and regulations and the standards of the local governments.
--------------------------------------	--

#### Section 14 - TRANSPORT INFORMATION

International Regulations	Regulatory Information by Sea	Conform to the provisions of IMO.
	UN No.	1263
	Proper Shipping Name	PAINT

Regulations in Japan	EMS Number	F-E, S-E
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Transport in bulk according to MARPOL 73/78, Annex II, and the IBC code	Not applicable
	Regulatory Information by Air	Conform to the provisions of ICAO/IATA.
	UN No.	1263
	Proper Shipping Name	PAINT
	Class	3
	Packing Group	II
	Regulatory Information by Road or Rail	Not applicable
	Regulatory Information by Sea	Conform to the provisions of the Ship Safety Law.
	UN No.	1263
	Proper Shipping Name.	PAINT
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable
	Transport in bulk according to MARPOL 73/78, Annex II, and the IBC code	Not applicable
	Regulatory Information by Air	Conform to the provisions of the Ship Safety Law.
Emergency Response Guide Number	UN No.	1263
	Proper Shipping Name.	PAINT
	Class	3
	Packing Group	II
	Marine Pollutant	Not applicable

#### Section 15 - REGULATORY INFORMATION

Regulatory information with regard to this product in your country or in your region should be examined by your own responsibility.

#### Section 16 - OTHER INFORMATION

Information Contact	No information available
Other Property	This information is furnished without warranty express or implied.  This information is believed to be accurate to the best knowledge of PENTEL Co., Ltd. but not assumes legal responsibility for use of or reliance upon this information.